Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



FEB 20-1033

L. E. WILLIAMS NURSERY COMPANY


63.55

DIBRAT

U. S. Department of Ag. 1 lture

Hardy
Native Plants
Evergreens and Shrubs

EXETER, NEW HAMPSHIRE U. S. A.



DIRECTIONS TO CUSTOMERS

Our terms are cash with order and our prices include boxing, packing, and delivery to our freight office, post office, or express office.

Five of one variety takes the ten rate and twenty-five the one hundred rate.

Discount: All orders received before March 15, with cash, will be given a 10% discount. All orders received, with cash, between March 15 and April 10 will be given a 5% discount. All prices are net after April 10.

Unless instructed otherwise, all orders will be shipped by express.

If ordering by parcel post please include 10% extra to cover postage.

We always endeavor to ship stock in a strong healthy condition, and true to name. If any should prove otherwise, we will either replace the stock or refund the purchase price.

Remittance may be sent by check, registered letter, or post office order.

Hardy New England Grown — Best by Test

December 23, 1932.

L. E. Williams Nursery Co.

Exeter, N. H.

Dear Mr. Williams,

Kindly send me ten square feet of Lycodopium complanatum sod. I should like this to be exceptionally good as I want to force some new growth on it for the spring flower shows.

Please send the same by express, collect to me.

Cordially yours,

Did I ever write you that your material helped me win first prize and a gold medal at the Atlantic City show?

EVERGREEN TREES

All evergreens have been transplanted several times and are dug with a ball of soil securely wrapped in burlap.

| Ea | ach | 10 | 100 |
|-------------------------------------------|-------|-----------|----------|
| Abies balsamea, Balsam Fir. 60 ft. The fr | agrai | nt balsar | m of the |
| woods. Symmetrical in shape. | Blu | e-green | foliage. |
| 12-18 in\$0 | . 60 | \$5.00 | \$40.00 |
| . 18-24 in 1 | .00 | 8.00 | |
| 2-3 ft | .00 | 17.50 | |
| 3-4 ft | .00 | 25.00 | |
| 7-8 ft | .00 | | |
| " concolor, Silver Fir. 75 ft. Bluish- | greer | n foliage | e. Very |
| symmetrical of growth. Ma | kes | a mag | nificent |
| lawn specimen. | | | |
| 12-18 in 1 | . 50 | 12.50 | |
| 18-24 in 2. | . 50 | 20.00 | |
| 2-3 ft 4. | .00 | 35.00 | |
| " fraseri, Fraser Fir. 50 ft. The Bal | | | |
| mountains. Superior to the no | rther | n Balsa | m. |
| 12-18 in 1. | 00 | 9.00 | |
| 18-24 in 2. | 00 | 17.50 | |
| 2-3 ft 3. | | | |
| Juniperus communis depressa, Prostrate | | - | 5-10 ft. |
| Low growing. Foliage silvery-g | | | |
| 12-18 in 1. | | 9.00 | |
| 18-24 in 1. | | | |
| 2-3 ft | | | |
| " chiensis pfitzeriana, Pfitzer's Ju | • | | t. Low |
| growing with feathery gray-gre | | _ | |
| 12-18 in 1. | | | |
| 18-24 in 2. | 50 2 | 20.00 | |

| Each 10 100 |) |
|-----------------------------------------------------------|----|
| Juniperus sabina, Savin Juniper. A dark green dwarf type | |
| Good for foundation plantings. | |
| 12-18 in\$2.00 \$18.00 | |
| 18-24 in 3.50 30.00 | |
| " virginiana, Red Cedar. Narrow columnar in habit | |
| Our Red Cedars are the superior New England type | |
| 18-24 in 1.25 10.00 \$90.00 |) |
| 2-3 ft | |
| 3-4 ft 3.00 25.00 | |
| 4-5 ft | |
| Larger sizes of the above can be furnished on application | |
| Write for prices. | |
| Picea canadensis, White Spruce. 75 ft. Light bluish-green | |
| Dense habit of growth. One of the best Spruces. | |
| 12-18 in |). |
| 18-24 in 1.00 8.00 60.00 |) |
| 2-3 ft |) |
| 3-4 ft | |
| " engelmanni, Engelmann Spruce. 100 ft. Foliage blue- | - |
| green to steel blue. | |
| 12-18 in 2.00 15.00 | |
| 18-24 in 3.00 25.00 | |
| " excelsa, Norway Spruce. 50-75 ft. Wide spreading |)° |
| branches with pendulous branchlets. A rapid grower | • |
| 12-18 in |) |
| 18-24 in 1.00 7.50 | |
| 2-3 ft | |
| 3-4 ft | |
| " pungens, Green Colorado Spruce. 90 ft. The green type | 3 |
| of the Colorado Spruce. One of the best. | |
| 12-18 in |) |
| 18-24 in 1.50 12.50 | |
| 2-3 ft | |

| Picea pungens Glauca, Blue Colorado Spruce. 90 ft. Selected seedlings. Steel blue color. $12\text{-}18 \text{ in.} \qquad \qquad \$2.00 \$15.00$ $18\text{-}24 \text{ in.} \qquad \qquad 3.00 \ 25.00$ $2\text{-}2\frac{1}{2} \text{ ft.} \qquad \qquad 5.00$ Pinus nigra, Austrian Pine. 50-80 ft. Regular habit of growth |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 12-18 in. $$2.00 15.00 18-24 in. $3.00 25.00$ $2-2\frac{1}{2}$ ft. 5.00 |
| $18-24 \text{ in.}$ $3.00 25.00$ $2-2\frac{1}{2} \text{ ft.}$ 5.00 |
| $2-2\frac{1}{2}$ ft |
| |
| Dinuc nigra Austrian Dina 50-80 ft Regular habit of growth |
| Tillus ingra, Austrian I inc. 30-30 iv. Regular habit of growin |
| with long dark green foliage. |
| 12-18 in 1.00 8.00 |
| 18-24 in 1.50 12.50 |
| 2-3 ft |
| " montana mughus, Mugho Pine. Dwarf. Good for rock- |
| eries and foundation plantings. |
| 12-18 in 1.50 10.00 \$90.00 |
| 18-24 in |
| " resinosa, Norway Pine. 75 ft. Ornamental pine of vig- |
| orous growth. |
| 18-24 in 1.00 9.00 |
| 2-3 ft |
| Pseudotsuga douglasi, Douglas Fir. 50-200 ft. Pyramidal tree |
| of dense growth. Very hardy. One of the best |
| native evergreens. |
| 18-24 in 1.50 12.50 |
| 2-3 ft |
| Retinospora filifera, Thread-branched Japanese Cypress. |
| Branches threadlike. |
| 2-2½ ft |
| innera aurea, Golden Japanese Cypress. |
| 18-24 in |
| 2-2½ ft 4.50 40.00 |
| plumosa, Plumed Cypiess. Feathery and plume- |
| like with finely-cut foliage. |
| 18-24 in |

| Each | 10 | 100 |
|---------------------------------------------------------------------------|---------|----------|
| Retinospora plumosa, Golden Plumed Cypres | | |
| form of the above. | s. A | gorden |
| 18-24 in\$2.00 \$1 | 7.50 | |
| $2-2\frac{1}{2}$ ft | | |
| Taxus canadensis, Canada Yew. Low and spr good for shady woods. | | . Very |
| 12-18 in 2.00 1 | 5.00 | |
| " cuspidata, Japanese Yew. 30 ft. Dark throughout the winter. | green | foliage |
| 12-18 in 2.50 2 | 2.50 | |
| 18-24 in 5.00 4 | 5.00 | |
| " cuspidata nana, Spreading Japanese Yev | v. A c | ompact |
| slow growing Yew. Good for foundate | _ | antings. |
| 12-18 in 3.50 3 | | _ |
| Thuja occidentalis, American Arborvitae. 40- | | |
| columnar growth. Good for screen | | |
| Will stand severe clipping. Our Ark been sheared. | orvita | es have |
| 9-12 in., not balled | 1.50 | \$10.00 |
| 12-18 in., the rest are balled50 | 4.50 | 40.00 |
| 18-24 in | 6.00 | 50.00 |
| 2-3 ft | 00.00 | 75.00 |
| 3-4 ft | 5.00 | 125.00 |
| 4-5 ft | 25.00 | |
| | 30.00 | |
| " occidentalis globosa, Globe Arborvitae. type. For foundation plantings. | A roun | d dwarf |
| | 12.50 | |
| | 17.50 | |
| " occidentalis pyramidalis, Pyramidal Arb | orvitae | e. Nar- |
| row pyramidal growth. | | |
| 18-24 in 1.00 | 8.00 | |
| 2-3 ft | 12.50 | |

| O L. E. WILLIAMS NURSERY CO., EXE | TER, N. | H., U. S | 6. A. |
|-------------------------------------------------------------------|---------|----------|----------|
| | Each | 10 | 100 |
| Tsuga canadensis, Canada Hemlock. ornamental evergreen trees | | One of | the best |
| 12-18 in | \$1.00 | \$9.00 | \$75.00 |
| 18-24 in | 1.50 | 10.00 | 90.00 |
| 2-3 ft | | 15.00 | 125.00 |
| 3-4 ft | | 30.00 | 200.00 |
| 4-5 ft | | 40.00 | |
| Tsuga caroliniana, Carolina Hemlock. | | Better | adapted |
| to trying city condition than | | | |
| 12-18 in | | 12.50 | |
| 18-24 in | | 22.50 | |
| 2-3 ft | | | |
| BROAD LEAVED EVE | ERGR | EENS | |
| | Each | 10 | 100 |
| Chamaedaphne calyculata, Leatherlea shrub, with heath-like flower | ers. | | vergreen |
| 12-18 in | | | 1 1 |
| Daphne cneorum, Garland Flower. bearing fragrant, pink flower | | | en shrub |
| 9-12 in | 1.00 | 9.50 | |
| 12-15 in | 1.50 | 12.50 | |
| Ilex glabra, Inkberry. Dense evergregren leaves. | een shr | rub, wit | h bright |
| Ilex glabra, Inkberry. Dense evergre | | | h bright |

12-18 in..... 1.00

18-24 in..... 2.00

crimson.

Kalmia angustifolia, Lambkill. 3-4 ft. Flowers rose-purple or

12-18 in..... 1.00 8.00

9.00

17.50

\$75.00 90.00

| Each 10 100 |
|--------------------------------------------------------------|
| Kalmia latifolia, Mountain Laurel. Pink and white flowers in |
| June. Should be planted in partial shade. One of |
| the finest of the broad-leaf evergreens. |
| 12-18 in\$1.00 \$8.00 \$70.00 |
| 18-24 in 1.50 12.50 100.00 |
| 2-3 ft 3.00 25.00 |
| Leiophyllum buxifolium, Box Sandmyrtle. 1-4 ft. A heather |
| like plant with pink and white flowers. April-June. |
| Requires sandy peat soil. |
| 6-12 in 1.00 9.00 |
| " buxifolium prostratum, Allegheny Sandmyrtle. |
| A prostrate form of the above. |
| 6-9 in 1.00 9.00 |
| Leucothoe catesbaei, Drooping Andromeda. 4 ft. Drooping |
| branches hung with white, bell-shaped flowers in |
| early spring. Beautiful bronze foliage in winter. |
| 12-15 in 1.50 12.50 |
| 15-18 in |
| Pieris floribunda, Mountain Andromeda. 4-5 ft. White flowers |
| in April. Dense shrub of spreading habit. Some- |
| times called Lily-of-the-Valley Shrub. |
| 12-18 in 2.00 17.50 |
| 18-24 in 3.50 30.00 |
| Rhododendron carolinianum, Carolina Rhododendron. 5-7 ft. |
| Clear pink flowers in June. |
| 12-18 in. clumps 2.00 15.00 |
| 18-24 in. " |
| $2-2\frac{1}{2}$ ft. " |
| " catawbiense, Catawba Rhododendron. 20 ft |
| The hardiest of all the native Rhododendrons. |
| Lilac-rose flowers in June. |
| 12-18 in. clumps 2.00 17.50 |
| 18-24 in. " 3.00 25.00 |

| | Each | 10 | 100 |
|----------------------------------|----------|---------|-----------|
| Rhododendron maximum, Rosebay Rh | hododer | ndron. | The larg- |
| est of the native Rhodoo | dendron | s. Whi | te pink- |
| tinged flowers in large cl | lusters. | Fine d | for mass |
| planting. | | | |
| 12-18 in. clumps | .\$1.50 | \$12.50 | \$100.00 |
| 18-24 n. " | . 2.00 | 17.50 | 150.00 |
| 2-3 ft. " | . 3.00 | 25.00 | |

For those who have large plantings, we can furnish the above varieties of Rhododendrons in carload lots from the collecting fields of the southern mountains. These are collected by experienced collectors. Write giving sizes and quantity and we will quote special prices.

Yucca filamentosa, Adam's Needle. A tropical looking plant with narrow evergreen leaves. Great spikes of creamy-white flowers.

HARDY VINES

| Each | 10 | 100 |
|----------------------------------------------|-----------|-----------|
| Ampelopsis quinquefolia. Virginia creeper. A | native v | ine use- |
| ful in covering wooden buildings | and ston | e walls. |
| Bright blue berries and scarlet foli | age in au | itumn. |
| Strong plants\$0.25 | \$2.00 | \$17.50 |
| " engelmanni, Engelmann Creeper. | Smaller | · leaves, |
| more brilliant autumn coloring tha | n the pre | eceding. |
| Clings to walls. | | |
| Strong plants\$0.40 | \$3.00 | \$25.00 |
| Apios tuberosa, Potato-Bean. Grows to eight | t feet in | height. |
| Purple flowers in September. | | |
| \cdot . 25 | 2.00 | 15.00 |

| | Each | 10 | 100 |
|-----------------------------------------|------------|-----------|-----------|
| Celastrus scandens, American Bittersw | reet. B | eautiful | orange- |
| colored fruit in autumn. | Exter | sively u | ised in |
| $\frac{1}{2}$ decorating. | | | |
| 2-3 ft | . \$0 . 50 | \$4.00 | \$35.00 |
| Chiogenes hispidula, Creeping Snowb | erry. | Small ev | ergreen |
| vine. White berries. Grows | s in deca | ayed veg | etation. |
| | .40 | 3.50 | 30.00 |
| Clematis paniculata, Sweet Autumn Cl | ematis. | Fragran | nt white |
| flowers in late summer. | | | |
| Strong | 50 | 4.00 | 30.00 |
| " virginiana, Virgin's Bower. | A larg | e climbi | ng vine |
| with large clusters of white | flowers | s. Augus | st. |
| Strong | 30 | 2.50 | 20.00 |
| Coptis trifolia, Goldthread. A low grow | ving eve | ergreen v | ine with |
| bright shiny leaves. Wh | ite flov | vers. G | ood for |
| bedding in shady places. | | | |
| Large clumps | 20 | 1.50 | 10.00 |
| Dalibarda repens, Dalibarda. Small ev | vergreer | n vine gr | owing in |
| moist shade. | | | |
| Strong | 35 | 2.00 | 15.00 |
| Epigea repens, Trailing Arbutus. C | reeping | evergre | en with |
| deliciously fragrant pink | and v | white flo | wers in |
| early spring. | | | |
| Clumps | 50 | 4.00 | 30.00 |
| Gaultheria procumbens, Wintergreen | . A lov | v evergre | een with |
| bright red berries lasting u | ıntil spr | ring. | |
| | .40 | 3.00 | 20.00 |
| Hydrangea petiolaris, Climbing Hydran | ngea. A | new, ra | re varie- |
| ty with white flowers. V | _ | | |
| stones and bricks. | | | |
| Strong | 2.00 | 17.50 | |

| E | Cach | 10 | 100 |
|------------------------------------------|--------|-----------|-----------|
| Lycopodium complanatum, Ground Ced | ar. | A runni | ng ever- |
| green useful for planting under | er eve | ergreen t | trees. |
| Large clumps\$0 | 0.25 | \$2.00 | \$15.00 |
| " obscurum, Groundpine. 10 | in. J | Useful e | vergreen |
| for Christmas decorations. | | | |
| | | | 8.00 |
| Lysmachia nummularia, Moneywort. | - | | |
| with large yellow flowers. | | | |
| banks and shady lawns where | _ | | _ |
| Clumps | | | |
| Mitchella repens, Partridge Berry. A sm | | | vergreen |
| with small red berries that las | | | 10.00 |
| Clumps | | | |
| Smilax herbacea, Jacob's Ladder. A sma | | | ng up to |
| five or six feet. Bluish-black be | | | 10.00 |
| Vasinium manna Cuarbaum Th | | | 10.00 |
| Vaccinium macrocarpon, Cranberry. The | | | _ |
| of commerce. Easily grown meadow. | 1 111 | bog o | r damp |
| | 20 | 1 50 | 8 00 |
| Vinca minor, Common Periwinkle. Beau | | | |
| with bright blue flowers in Ju | | _ | |
| covering banks and bare place | | _ | |
| covering bains and bare place | .20 | 1.50 | 10.00 |
| | .20 | 1.00 | 10.00 |
| | ID C | | • |
| DECIDUOUS SHRUBS AN | עוי . | IKEES | • |
| . The ${f E}$ | ach | 10 | 100 |
| Acer dascyarpum, Silver Maple. 80 ft. La | rge fa | ast grow | ing tree. |
| 6-8 ft\$1 | .00 | \$9.00 | \$75.00 |
| 8-10 ft | .00 | 17.00 | |
| 10_19 ft 9 | 25 | 20.00 | |

| Ea | ch | 10 | 100 |
|------------------------------------------------------------------------------------|-------|------------|-----------|
| Acer palmatum atropurpureum, Bloodlean | f Ja | panese | Maple. |
| Bloodred leaves throughout the | e sui | mmer. | _ |
| 2-3 ft\$4. | 00 | \$35.00 | |
| " pennsylvanicum, Striped Maple. 30 with beautiful green-striped ba | | . Slend | er tree, |
| | 60 | 5.00 | \$45.00 |
| 3-4 ft | 75 | 6.00 | |
| 4-5 ft | | 10.00 | |
| 5-6 ft | 50 | 20.00 | |
| " platanoides, Norway Maple. 80 ft. O street trees. Rapid grower. | | | st of the |
| 6-8 ft | | | |
| 8-10 ft | | | |
| 10-12 ft 4 . | 00 | 37.50 | |
| " rubrum, Red Maple. 75 ft. Bright spring. | t sc | arlet flo | wers in |
| 6-8 ft | 25 | 20.00 | |
| 8-10 ft 3. | 00 | 27.50 | |
| " saccharum, Sugar Maple. The tree maple syrup. Leaves turn brigh in autumn. | | ^ ^ | |
| 6-8 ft 2. | 25 | 20.00 | |
| 8-10 ft 2. | 75 | 25.00 | |
| 10-12 ft 4 . | .00 | 37.50 | |
| Alnus rugosa, Hazel Alder. 15 ft. For plant and wet meadows. | anti | ng along | g brooks |
| 3-4 ft. clumps | 60 | 5.00 | |
| 4-5 ft. " | 75 | 6.00 | |
| 5-6 ft. " 1. | 00 | 8.00 | |

| Each 10 100 |
|--------------------------------------------------------------|
| Amelanchier canadensis, Downy Shadblow. 30 ft. Covered |
| with white flowers in early spring before the leaves |
| appear. |
| 18-24 in\$0.50 \$4.50 \$35.00 |
| 2-3 ft |
| 3-4 ft |
| 4-5 ft |
| Aronia arbutifolia, Red Chokeberry. 5-8 ft. Small, fragrant, |
| white flowers in late May. Bright red berries in |
| autumn. |
| 18-24 in |
| 2-3 ft |
| " melanocarpa, Black Chokeberry. 5-8 ft. White flowers |
| followed by black berries. |
| 18-24 in |
| 2-3 ft |
| Azalea calendulacea, Flame Azalea. 8-10 ft. The most strik- |
| ing of the native azaleas. Bright orange colored |
| flowers in May. |
| 9-12 in. clumps 1.00 8.00 |
| 12-18 in. " |
| 18-24 in. " |
| " canescens, Piedmont Azalea. 6-8 ft. Rose pink, fra- |
| grant flowers. |
| 9-12 in. clumps |
| 12-18 in. " |
| 18-24 in. " |
| " nudiflora, Pinxterbloom. Light pink flowers in June. |
| 12-18 in. clumps |
| 18-24 in. " |

| | E | ach | 10 | 100 |
|---------------------------|------------------|-------|-----------|-----------|
| Azalea rosea, Downy Pi | inxerbloom 5-7 | ft. | Very fi | ragrant, |
| rose-pink flower | ers. One of the | fines | st of the | native |
| Azaleas | | | | |
| 9-12 in | | .00 | \$8.00 | \$75.00 |
| 12-18 in | 1 | .50 | 12.50 | 100.00 |
| 18-24 in | 2 | 2.00 | 15.00 | 125.00 |
| 24-30 in | | 3.00 | 25.00 | |
| " vaseyi, Pinkshell | Azalea. 6-10 ft | Th | ne most | profuse |
| bloomer of a | all the native | Azal | eas. Sh | ell-pink |
| flowers in late A | pril and early N | Iay. | | • |
| 9-12 in. bushy pla | ${ m ints.}$ 1 | .50 | 12.50 | |
| 12-18 in. clumps | 2 | 2.50 | 22.50 | |
| " viscosa, Swamp A | zalea. 10-12 f | t. W | Thite flo | wers in |
| July. Fragran | | | | |
| 12-18 in. clumps | | .00 | 8.00 | 75.00 |
| | 1 | | | |
| 2-3 ft. " | | | | |
| Benzoin aestivale, Spicel | | | | bright |
| | in early spring | | | |
| berries in early | | ر | * | |
| • 2-3 ft | | .75 | 6.00 | |
| 3-4 ft | | .80 | 7.50 | |
| Berberis thunbergi, Japan | nese Barberry. | 5 ft. | Large | brilliant |
| | ımn. Widely us | | | 1 7 |
| 12-18 in | • | | _ | |
| 18-24 in | | | | |
| " thunbergi atropu | rpurea, Red-Le | aved | Barberr | v. Sim- |
| | ell-known Japa | | | _ |
| · · | nt red throughor | | | • |
| 12-18 in | | | | 27.50 |
| 18-24 in | | | 7.50 | 60.00 |
| | | | | |

| Each 10 100 |
|-----------------------------------------------------------------------------------|
| Berberis thunbergi minor, Box Barberry. Very dwarf form o |
| the Japanese variety. |
| 9-12 in\$0.40 \$3.50 \$30.00 |
| 12-15 in |
| Betula lenta, Sweet Birch. 75 ft. Wintergreen is extracted |
| from the bark. |
| 8-10 ft |
| " nigra, River Birch. 60 ft. Loose reddish bark. |
| 4-5 ft |
| 5-6 ft |
| " papyrifera, Canoe Birch. 75 ft. Loose white bark Very graceful heads. |
| 6-8 ft |
| " populifolia, Gray Birch. 30 ft. Smooth grayish-white |
| bark. Good for planting in poor, dry soil. |
| 6-8 ft |
| Buddlea davidi magnifica, Oxeye Butterflybush. Fragran |
| lavendar flowers in large racemes. Dies to the |
| ground each winter, sending out new wood in the spring. |
| .50 3.50 30.00 |
| Calycanthus floridus, Sweetshrub. Fragrant leaves. Flower chocolate-colored. |
| 2-3 ft |
| Carpinus carolinianum, American Hornbeam. 25 ft. Good fo |
| screens. |
| 2-3 ft |
| 3-4 ft 1.00 9.00 |
| Ceanothus americana, Jersey Tea. 4 ft. White flowers in June Dwarf and spreading. |
| 15-18 in |

| | Each | 10 | 100 |
|--------------------------------------------------------------|----------|----------|-----------|
| Cephalanthus occidentalis, Bottonbush | . Crea | my whi | te flow- |
| ers in dense round heads. | Good | for wa | aterside |
| planting. | | | |
| 18-24 in | \$0.50 | \$4.00 | |
| 2-3 ft | .75 | 6.00 | |
| Clethra alnifolia, Summersweet. 8-10 | ft. Sp | oikes of | creamy |
| white, fragrant flowers throu | ighout | the sum | mer. |
| 18-24 in | .40 | 3.50 | \$30.00 |
| 2-3 ft | . 50 | 4.00 | 35.00 |
| 3-4 ft | .80 | 7.00 | 60.00 |
| Comptonia asplenifolium, Sweetfern. | 4 ft. L | eaves fe | ern-like. |
| Fragrant. | | | |
| 18-24 in., collected | .30 | 2.50 | 20.00 |
| 2-3 ft., " | .40 | 3.50 | 30.00 |
| Cornus alternifolia, Pagoda Dogwood. | 20 ft. C | Curious | whorled |
| branches. | | | |
| 2-3 ft | .80 | 6.75 | 60.00 |
| 3-4 ft | 1.00 | 9.00 | |
| " amomum, Silky Dogwood. 8-10 Beautiful foliage in fall. | 0 ft. I | Oark re | d bark. |
| 2-3 ft | .40 | 3.50 | 30.00 |
| 3-4 ft | . 50 | 4.00 | 35.00 |
| 4-5 ft | .60 | 5.00 | |
| "florida, Flowering Dogwood. 30 most beautiful of the native | Americ | an trees | . Com- |
| pletely covered with large spring. | white i | nowers | in early |
| 2-3 ft., very bushy | 80 | 6.00 | |
| 3-4 ft. " " | | 9.00 | |
| 5-6 ft. " " | | 15.00 | |
| | _ , , , | | |

| Each 10 100 |
|------------------------------------------------------------------------------------------------------------------------------|
| Cornus florida rubra, Redflowering Dogwood. 30 ft. Similar |
| to the preceding variety, with red flowers. |
| 2-3 ft\$2.00 \$17.50 |
| 3-4 ft 3.00 25.00 |
| " paniculata, Gray Dogwood. 10 ft. White panicled flowers, followed by white fruit. |
| 2-3 ft |
| "rugosa, Roundleaf Dogwood. 8-10 ft. Branches purplish. Upright growth. |
| 2-3 ft |
| " stolonifera, Red Osier Dogwood. 6 ft. Bloodred |
| branches. Makes a fine showing in winter. |
| 18-24 in |
| 2-3 ft |
| Corylus americana, American Hazelnut. 6-8 ft. Rapid spreading shrub, with eatable nuts. |
| 2-3 ft |
| Cotoneaster acutifolia, Peking Cotoneaster. 10 ft. White and pink flowers. Semi-evergreen. |
| 12-18 in |
| 18-24 in |
| "horizontalis, Rock Cotoneaster. A dwarf semi- evergreen shrub of great value for rockeries. |
| 12-15 in 1.00 9.00 |
| Crataegus coccinea, Thicket Hawthorne. 20 ft. Large clusters of graceful white flowers in May and June. Red fruit in autumn. |
| 1-2 ft |
| 2-3 ft |

| Each 10 100 |
|----------------------------------------------------------------|
| Crataegus cordata, Washington Hawthorne. 25 ft. Red fruit. |
| Beautiful fall coloring. |
| 2-3 ft\$1.00 \$9.00 |
| 3-4 ft |
| " cxyacantha, splendens Paul Double Scarlet Haw- |
| thorne. Double scarlet flowers in late spring. |
| 2-3 ft 1.50 12.50 |
| 3-4 ft |
| Cydonia japonica Flowering Quince. 4-6 ft. One of the good |
| old-fashioned shrubs. |
| 2-3 ft |
| Daphne mezereum, Rose Daphne. Fragrant, tiny, wine-purple |
| flowers in early spring. |
| 12-18 in |
| Deutzia lemoinei, Lemoine Deutzia. 8 ft. White showy flow- |
| ers in late spring. |
| 2-3 ft |
| gracins, Siender Deutzia. 5 It. winte. Dwart. |
| 18-24 in |
| gracins rosea, Rose Paincle Deutzia. Fink nowers. |
| 18-24 in |
| " Pride of Rochester. 8-10 ft. White and pink flowers in July. |
| 2-3 ft |
| 3-4 ft |
| Diervilla trifida, Dwarf Bush Honeysuckle. 2 ft. Yellow flow- |
| ers in June-July. Fine for ground cover. |
| 12-18 in |
| 18-24 in |
| " sessilifolia, Southern Bush Honeysuckle. 4 ft. Sul- |
| phur-yellow. |
| 1-2 ft |

| m scarlet. |
|-----------------------------------------------------------------------------------------------|
| 18-24 in |
| " americanus, Brook Euonymus. 8 ft. Pink and scarlet fruit. |
| 18-24 in |
| " europaeus, European Burningbush. 15 ft. Erect growing shrub. Red fruit in autumn. |
| 2-3 ft |
| 3-4 ft |
| Fagus americana, American Beech. 75 ft. A very fine ornamental tree. |
| 5-6 ft 5.00 40.00 |
| 6-8 ft |
| " sylvatica purpurea, Purple Beech. Leaves reddish- purple. |
| 2-3 ft |
| Forsythia intermedia, Border Forsythia. 10 ft. Glossy green leaves and golden-yellow flowers. |
| 2-3 ft |
| 3-4 ft |
| |

| Each 10 100 |
|---------------------------------------------------------------------------------------|
| Forsythia intermedia spectabilis, Showy Border Forsythia |
| 8 ft. Larger and more brilliant flowers than the |
| preceding. |
| 2-3 ft\$0.60 \$5.00 |
| 3-4 ft |
| Gaylussacia baccata, Black Huckleberry. Sweet black fruit |
| Scarlet leaves in autumn. |
| 18-24 in., collected |
| Hamamelis vernalis, Vernal Witchhazel. 6 ft. Yellow, fragrant flowers in late winter. |
| 2-3 ft |
| " virginiana, Common Witchhazel. 25 ft. Yellow |
| flowers in late autumn. |
| 2-3 ft |
| 3-4 ft |
| Hydrangea arborescens grandiflorum. 4-6 ft. Very showy white flowers. |
| 2-3 ft |
| 3-4 ft |
| " paniculata grandiflorum, Peegee Hydrangea. |
| White flowers changing to pink. |
| 2-3 ft |
| " paniculata grandiflora, Tree-Form. |
| 2-3 ft |
| 3-4 ft |
| Hypericum aureum, Golden St. Johnswort. 2-3 ft. Yellow |
| flowers two inches in diameter. 18-24 in |
| |
| Ilex monticola, Mountain Wintergreen. Brilliant scarlet fruit. 2-3 ft |
| Δ-0 10 |

| Each | 10 | 100 |
|-------------------------------------------------|-----------|----------|
| Ilex verticillata, Common Wintergreen. 10 fe | t. Brill | iant red |
| berries remaining until midwinter. | | , |
| 12-18 in\$0.30 | \$2.50 | \$20.00 |
| 18-24 in | 3.50 | 30.00 |
| 2-3 ft | 4.50 | 40.00 |
| 3-4 ft | 7.50 | |
| Itea virginica, Sweetspire. 3-6 ft. White, frag | grant flo | owers in |
| June. | | |
| 1-2 ft | 5.00 | |
| Kolwitzia amabilis, Beautybush. A recently in | troduce | d shrub. |
| Pink, bell-shaped flowers borne in | pairs | forming |
| large clusters of 20 to 50. | | |
| 12-18 in | | |
| 18-24 in | 6.00 | |
| 2-3 ft | 10.00 | |
| Ligustrum amurense, Amur Privet. 6 ft. This | | |
| the California privet but is hardy | in this ļ | atitude. |
| For hedges. | 1 50 | 10.00 |
| 18-24 in | 1.50 | 10.00 |
| 2-3 ft | 2.00 | 15.00 |
| " ibota, Ibota Privet. Hardy shrub, branches. | with sp | reading |
| 18-24 in | 1.50 | 10.00 |
| 2-3 ft | 2.00 | 17.50 |
| Lonicera fragrantissima, Winter Honeysuckle. | | |
| colored, sweet-scented flowers. | | Oreani |
| 18-24 in | 3.00 | 25.00 |
| 2-3 ft | 4.00 | 35.00 |
| " morrowi, Morrow Honeysuckle. 6 ft. | . White | flowers |
| followed by red fruit. | | |
| 2-3 ft | 3.50 | 30.00 |

| Each 10 100 Lonicera tatarica alba, White Tatarian Honeysuckle. White flowers in May. 2-3 ft. \$0.40 \$3.50 \$30.00 "tatarica rosea, Rosy Tatarian Honeysuckle. Pink flowers in May. 2-3 ft. \$40 \$3.50 \$30.00 "tatarica rubra, Red Tatarian Honeysuckle. Light red flowers. 2-3 ft. \$50 \$4.00 \$35.00 Myrica caroliniensis, Northern Bayberry. 5 ft. White berries. Used for making the famous bayberry candles. 6-12 in. \$40 \$3.50 \$30.00 12-18 in. \$60 \$5.00 "gale, Sweetgale. 5 ft. Yellow. For bog gardens. 18-24 in. \$50 \$4.00 Nemopanthus mucronatus, Mountain Holly. 10 ft. Beautiful orange colored berries in early autumn. 3-4 ft. \$75 \$6.00 Oxydendron arboreum, Sourwood. 20-30 ft. Masses of white flowers when only a few feet high. 12-18 in. \$60 \$5.00 \$40.00 18-24 in. \$1.00 \$8.00 2-3 ft. \$1.50 \$12.50 3-4 ft. \$2.50 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ## The state of th |
| 2-3 ft |
| ## tatarica rosea, Rosy Tatarian Honeysuckle. Pink flowers in May. 2-3 ft |
| flowers in May. 2-3 ft |
| tatarica rubra, Red Tatarian Honeysuckle. Light red flowers. 2-3 ft. .50 4.00 35.00 Myrica caroliniensis, Northern Bayberry. 5 ft. White berries. Used for making the famous bayberry candles. 6-12 in. .40 3.50 30.00 12-18 in. .60 5.00 "gale, Sweetgale. 5 ft. Yellow. For bog gardens. 18-24 in. .50 4.00 Nemopanthus mucronatus, Mountain Holly. 10 ft. Beautiful orange colored berries in early autumn. 3-4 ft. .75 6.00 Oxydendron arboreum, Sourwood. 20-30 ft. Masses of white flowers when only a few feet high. 12-18 in. .60 5.00 40.00 18-24 in. 1.00 8.00 2-3 ft. 1.50 12.50 |
| flowers. 2-3 ft |
| 2-3 ft |
| Myrica caroliniensis, Northern Bayberry. 5 ft. White berries. Used for making the famous bayberry candles. 40 3.50 30.00 6-12 in. 40 5.00 12-18 in. 60 5.00 gale, Sweetgale. 5 ft. Yellow. For bog gardens. 18-24 in. 50 4.00 Nemopanthus mucronatus, Mountain Holly. 10 ft. Beautiful orange colored berries in early autumn. 3-4 ft. 75 6.00 Oxydendron arboreum, Sourwood. 20-30 ft. Masses of white flowers when only a few feet high. 12-18 in. 60 5.00 40.00 18-24 in. 1.00 8.00 2-3 ft. 1.50 12.50 |
| |
| 6-12 in |
| 12-18 in |
| " gale, Sweetgale. 5 ft. Yellow. For bog gardens. 18-24 in. .50 4.00 Nemopanthus mucronatus, Mountain Holly. 10 ft. Beautiful orange colored berries in early autumn. 3-4 ft. .75 6.00 Oxydendron arboreum, Sourwood. 20-30 ft. Masses of white flowers when only a few feet high. 12-18 in. .60 5.00 40.00 18-24 in. 1.00 8.00 2-3 ft. 1.50 12.50 |
| 18-24 in. .50 4.00 Nemopanthus mucronatus, Mountain Holly. 10 ft. Beautiful orange colored berries in early autumn. 3-4 ft. .75 6.00 Oxydendron arboreum, Sourwood. 20-30 ft. Masses of white flowers when only a few feet high. 12-18 in. .60 5.00 40.00 18-24 in. 1.00 8.00 2-3 ft. 1.50 12.50 |
| Nemopanthus mucronatus, Mountain Holly. 10 ft. Beautiful orange colored berries in early autumn. 3-4 ft. .75 6.00 Oxydendron arboreum, Sourwood. 20-30 ft. Masses of white flowers when only a few feet high. 12-18 in. .60 5.00 40.00 18-24 in. 1.00 8.00 2-3 ft. 1.50 12.50 |
| orange colored berries in early autumn. 3-4 ft |
| 3-4 ft75 6.00Oxydendron arboreum, Sourwood.20-30 ft.Masses of whiteflowers when only a few feet high.12-18 in60 5.00 40.0018-24 in.1.00 8.002-3 ft.1.50 12.50 |
| Oxydendron arboreum, Sourwood. 20-30 ft. Masses of white flowers when only a few feet high. 12-18 in. 60 5.00 40.00 18-24 in. 1.00 8.00 2-3 ft. 1.50 12.50 |
| flowers when only a few feet high. 12-18 in |
| 12-18 in |
| 18-24 in |
| 2-3 ft |
| |
| 3-4 ft |
| |
| Philadelphus avalanche, Mockorange. 6 ft. Fragrant white |
| flowers. June. |
| 2-3 ft |
| " coronarius, Sweet Mockorange. 10 ft. White, |
| fragrant flowers in early June. |
| 2-3 ft |
| remomer, Lemome Wockbrange. 5 10. Dense |
| racemes of delicate scented, white flowers. June. 2-3 ft |

| Each 10 100 |
|------------------------------------------------------------------------------------------------------|
| Philadelphus virginale, Virginal Mockorange. 6 ft. White, |
| semi-double flowers in June. |
| 2-3 ft\$0.75 \$6.00 \$50.00 |
| Pieris mariana, Staggerbush. 3-4 ft. Pinkish-white, nodding |
| flowers in May. |
| 12-18 in |
| Potentilla fruiticosa, Shrubby Cinquefoil. 3-4 ft. Single yellow flowers all summer. |
| 12-18 in |
| 18-24 in |
| Prunus maritima, Beach Plum. 5 ft. A fine ornamental shrub, |
| with masses of white flowers. Late May. Fruit |
| makes fine preserves. |
| 1-2 ft |
| " pennsylvanicum, Pin Cherry. 20-30 ft. White flowers |
| in late spring. |
| 2-3 ft |
| "virginiana, Choke Cherry. 8-15 ft. Snow-white flowers |
| in May. |
| 3-4 ft |
| " glandulosa sinensis, Pink Almond. 5 ft. Masses of |
| deep pink flowers in late May and early June. |
| 2-3 ft |
| Quercus bicolor, Swamp White Oak. 60-75 ft. Round top, with open head. One of the fast growing oaks. |
| 6-8 ft |
| 8-10 ft |
| palustris, Pin Oak. Very symmetrical in growth. |
| Leaves deeply cut and very highly colored in |
| autumn. |
| 6-8 ft 3.00 |
| 8-10 ft |

| Each 10 100 | 0 |
|--------------------------------------------------------------------|----|
| Quercus rubra, Red Oak. 100 ft. The best shade tree of the | ie |
| oaks. Leaves turn dark red in fall. | |
| 6-8 ft\$3.00 | |
| 8-10 ft 4 . 00 | |
| Rhodora canadensis, Rhodora. 3 ft. Completely covered with | h |
| lavender flowers in very early spring. | |
| 12-18 in | |
| 18-24 in 1.50 12.50 | |
| 2-3 ft | |
| Rhus canadensis, Fragrant Sumac. A low spreading shrub | |
| with large red fruit in autumn. Good for covering | g |
| dry banks. | |
| 12-18 in | |
| 18-24 in | U |
| 2-3 ft | |
| " copallina, Shining Sumac. 5 ft. Dark glossy leaves. | |
| 2-3 ft | • |
| "typhina, Staghorn Sumac. 20 ft. Large red fruit clusters | 5. |
| Autumn coloring of yellow and purple. | |
| 2-3 ft | 0 |
| 3-4 ft | |
| 4-5 ft | |
| 5-6 ft | |
| Rosa blanda, Meadow Rose. 3-5 ft. Slender shrub with pink | k |
| flowers. | |
| 1-2 ft | |
| " humilis, Pasture Rose. Dwarf variety. Large single pink flower. | le |
| 1-2 ft | |
| " lucida, Virginia Rose. 3 ft. Shining foliage, bright pink 1-2 ft | ζ. |

| Each 10 100 |
|---------------------------------------------------------------------------------|
| Rosa nitida, Bristly Rose. 4-6 ft. Single reddish flower. |
| 1-2 ft\$0.50 \$4.00 |
| "rubiginosa, Sweetbrier. 4-8 ft. A dense growing shrub, |
| with large pink flowers. Foliage very aromatic. |
| 2-3 ft |
| " setigera, Prairie Rose. 6-8 ft. Deep rose single flower. |
| 2-3 ft |
| Rubus odoratus, Flowering Raspberry. 5 ft. Rose-purple |
| flowers. Good for shady places. |
| 2-3 ft |
| Sambucus canadensis, American Elder. 8-10 ft. Large white flowers in late June. |
| 2-3 ft |
| " nigra aurea, Golden European Elder. 10 ft. Yel- |
| low foliage. Should be planted in full sun. |
| 2-3 ft |
| " pubens, Scarlet Elder. 5-10 ft. Large heads of |
| white flowers in early June. Bright red berries in |
| mid-summer. |
| 2-3 ft |
| Sorbus americana, American Mountainash. 15-25 ft. Bright |
| red berries hanging in large clusters throughout the |
| fall. |
| 4-5 ft |
| 5-6 ft |
| " aucuparia, European Mountainash. 25-50 ft. Larger |
| berries than the preceding variety. |
| 6-8 ft |
| 8-10 ft |
| Spirea Anthony Waterer. 3-4 ft. Crimson flowers. Dwarf. |
| 18-24 in |

| | Each | 10 | 100 | |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|------------|----------|--|
| Spirea | billiardi, Billiard Spirea. 6 ft. Rose co | lored flor | vers. | |
| | 2-3 ft\$0.40 | \$3.50 | 3\$0.00 | |
| " | prunifolia, Bridal Wreath. Pure white, | double | dowers. | |
| | 2-3 ft | 3.50 | | |
| " | tomentosa, Hardhack. 3-4 ft. Pink f | dowers in | n large | |
| | spikes. | | | |
| | 2-3 ft | 2.50 | 20.00 | |
| | 3-4 ft | 3.00 | 25.00 | |
| " | trichocarpa, Korean Spirea. 4-6 ft. | Large, | white | |
| | flowers. Later bloomer than to Vanhoutte Spirea. | he well- | -known | |
| | 2-3 ft | 5.00 | | |
| " | vanhoutte Spirea. 5 ft. Graceful archinered in June with white flowers. On the Spireas. | - | | |
| | * | 3.00 | 25.00 | |
| | | 4.50 | 35.00 | |
| Symph | oricarpos racemosus, Common Snowbe | | Pale | |
| Oympi. | pink flowers. Snow-white berries i racemes during the fall and winter. | n long re | | |
| | 2-3 ft | | 30.00 | |
| " | vulgaris, Coralberry. Pale, p lowed by coral fruit. | oink flow | ers fol- | |
| | 2-3 ft | 3.50 | 30.00 | |
| Syringa vulgaris, Common Lilac. 10-15 ft. Lilac-blue or purple flowers in large panicles. Late May. | | | | |
| | 2-3 ft | | 30.00 | |
| 6.6 | vulgaris alba, Common White Lilac flowers in May-June. | | white | |
| | 2-3 ft | 6.00 | | |

| Each 10 | | | | |
|-----------------------------------------------------------------------------------------------|--|--|--|--|
| Syringa persica, Persian Lilac. 5-10 ft. Pale, lilac flowers. May-June. | | | | |
| 2-3 ft\$0.75 \$6.00 | | | | |
| We also offer the following collection of Hybrid Lilacs. | | | | |
| 2-3 ft | | | | |
| 3-4 ft | | | | |
| Alphonse Laville. Light blue. Double | | | | |
| Belle de Nancy. Satin-pink. Double. | | | | |
| Congo. Dark crimson. Single. | | | | |
| Doyenne Keteler. Light pink. Double. | | | | |
| Ludwig Spaeth. Dark red. Single. | | | | |
| Marlyensis Pallida. Reddish-purple. Double. | | | | |
| Mme. Casimir Perier. White. Double. | | | | |
| Ville de Troyes. Dark purple. Double. | | | | |
| Virginalis. White. Double. | | | | |
| Tamarix africana, African Tamarix. Light, feathery foliage. Slender racemes of pink flowers. | | | | |
| 2-3 ft | | | | |
| 3-4 ft | | | | |
| Tilia americana, American Linden. 75 ft. Creamy-white flowers in July. | | | | |
| 6-8 ft | | | | |
| 8-10 ft 3.00 27.50 | | | | |
| Ulmus americana, American Elm. 75-100 ft. One of the best | | | | |
| street trees. | | | | |
| 8-10 ft | | | | |
| 10-12 ft | | | | |
| 12-14 ft | | | | |

| | Each | 10 | 100 |
|--------------------------------------|-----------|----------|-------------|
| Vaccinium corymbosum, Highbush Blu | ueberry. | 5-10 ft | . Blue- |
| black berries of excellent | | | |
| coloring. A fine shrub for | | | |
| acid soil. | arry roca | | oquiros |
| 12-18 in | .\$0.50 | \$4.00 | |
| 18-24 in | | 6.00 | |
| 2-3 ft | | 8.00 | |
| 3-4 ft | | 12.50 | |
| 4- 5 ft | | 25.00 | |
| 5-7 ft. specimens | | | |
| " pennsylvanicum, Lowbush | Blueberr | y. 1 ft | . Good |
| for banks and dry sandy lo | | | |
| Collected clumps | | 2 00 | \$17.50 |
| " vacillans, Dryland Blueber | | | |
| fruit. | 11y. 1-2 | 10. V (A | y sweet |
| Collected clumps | 30 | 2.50 | 20.00 |
| Viburnum acerifolium, Mapleleaf Vibu | rniim. 🤌 | 5 ft. Ve | llowish- |
| white flowers in June. | | 710. 10 | 110 11 1011 |
| 18-24 in | 40 | 3.50 | 30.00 |
| 2-3 ft | | | 30.00 |
| 3-4 ft | | | |
| | | | fore the |
| " alnifolium, Hobblebush. W | | | |
| leaves. One of the best of | | | irmums. |
| Should be planted in a shade 2-3 ft | _ | | |
| | | | |
| " americanum, American C | _ | | |
| flowers in May-June. Red | l berries | from la | ite July |
| until the following spring. | 2.2 | | |
| 2-3 ft | | | |
| 3-4 ft | 75 | 6.00 | |

| | Each 10 100 | | | |
|----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| Viburn | um carlesi, Fragrant Viburnum. 5 ft. Flowers in dense | | | |
| round heads. Very fragrant. April-May. | | | | |
| | 18-24 in\$2.00 \$17.50 | | | |
| • | 24-30 in | | | |
| " | cassinoides, Withrod. 8 ft. White flowers in late May. Blue berries. | | | |
| | 2-3 ft | | | |
| | 3-4 ft | | | |
| | 4-5 ft | | | |
| " | dentatum, Arrowwood. 8-10 ft. White flowers. Blue fruit. | | | |
| | 2-3 ft | | | |
| | 3-4 ft | | | |
| | 4-5 ft | | | |
| " | lentago, Nannyberry. 20 ft. White flowers in late May. It is really a small tree. | | | |
| | 2-3 ft | | | |
| | 3-4 ft | | | |
| | 4-5 ft | | | |
| " | opulus sterile, Common Snowball. White flowers in large dense globular heads. | | | |
| | 2-3 ft | | | |
| | tomentosum, Double-file Viburnum. Foliage resembles the Japanese snowball. White flowers in flat racemes, and borne in great profusion. The most beautiful of the viburnums. | | | |
| | 2-3 ft | | | |
| | 3-4 ft | | | |
| " | tomentosum plicatum, Japanese Snowball. 10 ft. Pure white flowers in globular heads. | | | |
| | 2-3 ft | | | |

| | Each | 10 | 100 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| Weigela candidum, Snow Weigela. | Large wh | ite flower | rs. |
| 2-3 ft | \$0 . 50 | \$4.00 | \$35.00 |
| 3-4 ft | 60 | 5.00 | |
| " Eve Rathke. The most show red flowers in June. | wy of the | Weigelas | . Dark |
| 2-3 ft | 1.00 | 8.00 | |
| " rosea, Pink Weigela. Free fl | lowering si | hrub witl | n bright |
| pink flowers in June. | | | 25 22 |
| 2-3 ft | | | 35.00 |
| 3-4 ft | 60 | 5.00 | |
| Zanthorhiza apiifolia, Yellowroot. V | • | | |
| Golden in autumn. One | of the bes | t border | shrubs. |
| 6-12 in | 40 | 3.50 | 30.00 |
| | | | |
| HADDY LILIES AND DE | T DIIO | DT ANT | TC. |
| | II KIII S | | |
| HARDY LILIES AND BU | LBUUS | PLAN | 15 |
| | 3 | 10 | 100 |
| Arisaema triphyllum, Jack-in-the-Pu | 3 alpit. 1 ft | 10 . A nativ | 100 ve plant |
| Arisaema triphyllum, Jack-in-the-Pubearing curiously formed | 3 ulpit. 1 ft d, black a | 10 . A nativ | 100 ve plant flowers |
| Arisaema triphyllum, Jack-in-the-Pu | 3 ulpit. 1 ft d, black a | 10 . A nativ | 100 ve plant flowers |
| Arisaema triphyllum, Jack-in-the-Pubearing curiously formed in the form of a sheath. | 3 ulpit. 1 ft d, black a Late May. | 10 . A nativ | 100 we plant flowers es shade |
| Arisaema triphyllum, Jack-in-the-Pubearing curiously formed in the form of a sheath. I and moisture. Calla palustris, Wild Calla. A which | 3 1lpit. 1 ft d, black a Late May. \$0.60 ite minia | 10 A nativate And green Require \$1.50 | 100 ve plant flowers es shade \$10.00 |
| Arisaema triphyllum, Jack-in-the-Pubearing curiously formed in the form of a sheath. I and moisture. | 3 Ilpit. 1 ft I, black a Late May. \$0.60 ite minia June and | 10 A nativate of the Anativate of the A | 100 we plant flowers es shade \$10.00 la. For |
| Arisaema triphyllum, Jack-in-the-Pubearing curiously formed in the form of a sheath. I and moisture. Calla palustris, Wild Calla. A who water gardens and bogs. | 3 Lapit. 1 ft d, black a Late May. \$0.60 ite minia June and .50 | 10 A natival of the Anatival of the California of the Anatival | 100 ve plant flowers es shade \$10.00 la. For |
| Arisaema triphyllum, Jack-in-the-Pubearing curiously formed in the form of a sheath. I and moisture. Calla palustris, Wild Calla. A which | 3 Ilpit. 1 ft I, black a Late May. \$0.60 ite minia June and .50 ey. 6 in. | 10 A natival of the Anatival of the California of the Anatival | 100 ve plant flowers es shade \$10.00 la. For |
| Arisaema triphyllum, Jack-in-the-Pubearing curiously formed in the form of a sheath. I and moisture. Calla palustris, Wild Calla. A whowater gardens and bogs. Convallaria majalis, Lily-of-the-Vallaria | 3 Ilpit. 1 ft I, black at Late May. \$0.60 ite miniat June and .50 ey. 6 in. | 10 A natival of the Anatival of the California of the Anatival | 100 ve plant flowers es shade \$10.00 la. For 8.00 t, white |
| Arisaema triphyllum, Jack-in-the-Pubearing curiously formed in the form of a sheath. I and moisture. Calla palustris, Wild Calla. A who water gardens and bogs. Convallaria majalis, Lily-of-the-Vall flowers. Shady location. | 3 Lipit. 1 ft d, black a Late May. \$0.60 ite minia June and .50 ey. 6 in. | 10 A natival of the Architecture California of the Architecture of the | 100 ve plant flowers es shade \$10.00 la. For 8.00 t, white 10.00 |
| Arisaema triphyllum, Jack-in-the-Pubearing curiously formed in the form of a sheath. I and moisture. Calla palustris, Wild Calla. A whowater gardens and bogs. Convallaria majalis, Lily-of-the-Vallaria | 3 Lipit. 1 ft d, black a Late May. \$0.60 ite minia June and .50 ey. 6 in. | 10 A natival of the Architecture California of the Architecture of the | 100 ve plant flowers es shade \$10.00 la. For 8.00 t, white 10.00 |
| Arisaema triphyllum, Jack-in-the-Pubearing curiously formed in the form of a sheath. I and moisture. Calla palustris, Wild Calla. A who water gardens and bogs. Convallaria majalis, Lily-of-the-Vall flowers. Shady location. Erythronium albidum, White Trout | 3 Lalpit. 1 ft d, black a Late May. \$0.60 ite minia June and .50 ey. 6 in60 Lily. 1 ft | 10 A natival of the Architecture California of the Architecture of the | 100 ve plant flowers es shade \$10.00 la. For 8.00 t, white 10.00 flowers, |

3 10 100

Erythronium americanum, Common Trout Lily. 1 ft. Yellow flowers, leaves mottled with brown and white.

\$0.50 \$1.00 \$8.00

Lilium canadense, Canada Lily. 4 ft. A native lily bearing from 4 to 12 yellow or orange blossoms. July and August.

.60 1.50 10.00

" carolinianum, Carolina Lily. 3 ft. Flowers orange-red and very fragrant.

1.00 3.00 25.00

" grayi, Gray's Lily. 1-3 ft. Deep reddish, bell-shaped flowers, orange spotted within. June-July.

1.50 3.50 30.00

" philadelphicum, Orange Lily. 3 ft. 1 or 2 orange colored upright blossoms.

.75 2.00 12.00

"regale, Royal Lily. 4-6 ft. Fragrant flowers, 4-6 in. long, white inside, lilac-purple outside. July. 1.25 4.00 30.00

"
superbum, American Turkscap Lily. 6-8 ft. Bright blossoms. The finest of the native American lilies. Good for planting between shrubbery.

"tenuifolium, Coral Lily. 18 in. Small drooping coral and vermilion flowers. July.

1.00 3.00 25.00

"tigrinum, Tiger Lily. 5 ft. Orange blossoms with recurved petals. June-July.

.75 2.00 12.00

3 10 100

*Mertensia virginica, Virginia Bluebells. 18 in. Flowers of clear sky-blue, sometimes tinted with pink. Early May.

\$0.60 \$1.50 \$8.00

Nuphar advena, Spatterdock. Yellow Waterlily. For ponds and pools.

.75 2.00 15.00

Nymphea odorata, American Waterlily. Flowers white and very fragrant.

.75 2.00 15.00

Sagittaria latifolia, Common Arrowhead. White flowers with arrow-shaped leaves. For pools and ponds.

.60 1.50 10.00

*Sanguinaria canadensis, Bloodroot. 3 in. Pure white flowers in early spring. Leaves wrapped around each flower stock.

.60 1.50 8.00

*Trillium erectum, Purple Trillium. 1 ft. Dark red blossoms.

"grandiflorum, Snow Trillium. 1 ft. Large, white blossoms, sometimes pink. Good for bedding under shrubbery.

.50 1.00 6.00

"recurvatum, Brown Trillium. 1 ft. Brown-purple blossoms.

.60 1.50 8.00

* " stylosum, Rose Trillium. 10 in. Beautiful pink variety from the southern mountains.

.75 2.00 10.00

* " undulatum, Painted Trillium. 1 ft. White with red markings within.

.60 1.50 8.00

HARDY FERNS

Prices of hardy ferns, unless otherwise noted: 75c per 3; \$2.00 per 10; \$12.00 per 100.

3 10 100

- *Adiantum pedatum, American Maidenhair Fern. 2 ft. Has exceedingly graceful fan-like foliage. One of the finest of the native ferns.
- *Asplenium plateneuron, Ebony Spleenwort. 6-10 in. Slender and graceful, with ebony stems. Fine for rock gardens. Evergreen.
- Athyrium filixfemina, Lady Fern. 2 ft. Fine for cutting. Prefers moist shady places.
- *Botrychium virginianum, Rattlesnake Fern. 1 ft. Good for rock garden. Prefers open shade.

\$0.90 \$2.50 \$20.00

- *Camptosorus rhyzophyllus, Walking Fern. 6 in. Grows on limestone cliffs.
- *Cystopteris bulbifera, Berry Bladder Fern. 10 in. Small delicate fern. Fine for rock gardens.
- Dennstedtia punctilobula, Hay-scented Fern. 1 ft. Fronds very fragrant. Good for bedding in either sun or shade.
- Dryopteris clintoniana, Clinton Wood Fern. 2-3 ft. Slender evergreen fern.
 - " cristata, Crested Wood Fern. 1-2 ft. Similar but smaller than the preceding.
 - " goldiana, Goldie Fern. 2-4 ft. A very rare variety.

 Damp, shady location.

 $1.25 \quad 3.50$

" linneane, Oak Fern. 6 in. Small fern with umbrella-shaped top.

Those marked with an asterisk (*) are adapted to the rock garden

Prices of hardy ferns, unless otherwise noted: 75c per 3; \$2.00 per 10; \$21.00 per 100.

3 10 100

- *Dryopteris marginalis, Leatherwood Fern. 2 ft. An evergreen fern. Will grow well in rock gardens.
 - " noveboracensis, New York Fern. 1 ft. Rich woods.
- * "spinulosum, Toothed Wood Fern. 2 ft. The fern used by florists for cutting. Evergreen.
 - "thelypteris, Marsh Fern. 1 ft. Good for bedding in wet places.
- Lygodium palmatum, Climbing Fern. Climbs to the height of 4-5 ft.

\$1.00 \$3.00 \$20.00

- Onoclea sensibilis, Sensitive Fern. 1-2 ft. For naturalizing in wet places.
- Osmunda cinnamomea, Cinnamon Fern. 2-4 ft. Large fronds. One of the best of the larger ferns.
 - " claytoniana, Interrupted Fern. 5-7 ft. The largest of the native ferns. Does well in either sun or shade.
 - " regalis, Royal Fern. 2-5 ft. Large spreading top.
 One of the most beautiful of the native ferns.
- *Polypodium vulgare, Common Polypodium. 6 in. Will completely cover shady rocks. Evergreen.
- *Polystichum acrosticoides, Christmas Fern. 1-2 ft. Verybeautiful evergreen fern. Prefers shade.
- Pteretis nodulosa, Ostrich Fern. One of the best of the native ferns. Shady moist location.
- Pteridium aquilinum, Bracken. The common brake.
- *Woodsia ilvansis, Rusty Woodsia. 1 ft. Will grow on rocks. Very delicate.
- * " **obtusa, Common Woodsia.** 6-12 in. Very good for rock gardens.

Prices of hardy ferns, unless otherwise noted: 75c per 3; \$2.00 per 10; \$12.00 per 100.

Woodwardia areolata, Chain Fern. 1 ft. The fruit spores resemble chain links.

"virginica, Virginia Chain Fern. 2-3 ft. Larger than the preceding variety.

HARDY NATIVE ORCHIDS

3 10 100

Calopogon pulchellus, Grass-Pink Orchid. 18 in. A beautiful clear pink orchid. Desires damp, sandy soil with plenty of leaf mold.

\$1.00 \$3.00 \$25.00

Cypripedium acaule, Pink Ladyslipper. 1 ft. Large mogcasin-shaped flowers arising from two or three prostrate leaves in June.

.75 2.00 15.00

"
pubescens, Common Yellow Ladyslipper. 1 ft.
flowers are pale yellow. Grows in rich, moist
woods. May.

66

.75 2.00 15.00

spectabile, Showy Ladyslipper. 2-3 ft. Rose-pink and white flowers on stalks covered with large round leaves. It is a bog plant, but will grow in shady beds of leaf mold or peat moss, if kept moist. May.

.75 2.00 15.00

Goodyera pubescens, Downy Rattlesnake Plantain. 1 ft. Fragrant, flowered orchid with attractive white veined leaves. For piney woods.

.75 2.00 15.00

3 10 100

Goodyera repens, Rattlesnake Plaintain. 1 ft. Leaves lighter green than the preceding variety.

\$0.75 \$2.00 \$15.00

Habenaria blephariglottis, White Fringed Orchid. 2 ft. Spikes of white fringed flowers arising from between two long narrow leaves. July.

1.00 3.00 25.00

" ciliaris, Yellow Fringed Orchid. 2 ft. Spikes of yellow fringed flowers in late July.

1.00 3.00 25.00

'' fimbriata, Large Purple Fringed Orchid. 5 ft. Spikes of bright lavender flowers in late July.

1.00 3.00 25.00

" lacera, Green Fringed Orchid. 2 ft. Greenish yellow flowers in July.

.60 1.50 10.00

" psycodes, Small Purple Fringed Orchid. 2-3 ft. Similar but smaller than the fimbriata.

.75 2.00 15.00

Orchis spectabilis, Showy Orchid. 6-8 in. Fragrant, lavender flowers in May-June.

1.00 3.00 25.00

Pogonia ophiglossoides, Rose Pogonia. Small pink orchid growing in bogs. Grass-like stems 6 inches high. June and July.

.75 2.00 15.00

Spiranthes latifolia, Ladies-Tresses. 10 in. Flowers creamy white. August.

 $.75 \quad 2.00 \quad 15.00$

HARDY NATIVE PERENNIALS

Prices of hardy native perennials, unless otherwise noted: 60c per 3; \$1.50 per 10; \$10.00 per 100.

3 10 100

- *Achillea millefolium rosea, Rose Yarrow. 2 ft. Bright rosepink flowers throughout the summer.
- Aconitum fischeri, Azure Monkshood. 5 ft. Deep blue flowers in September.

\$1.00 \$3.00 \$20.00

"uncinatum, Clambering Monkshood. 3-5 ft. Light blue. June-September.

.90 2.50 17.50

- Acorus calamus, Sweetflag. Leaves light green, 1 to 3 ft. long. Rootstalk has an aromatic flavor. For bog gardens and shallow pools.
- *Actaea alba, White Baneberry. 2 ft. White flowers in racemes, followed by white berries in clusters.
- * "rubra, Red Baneberry. 2 ft. Large clusters of bright red berries in late summer.
- Amorpha canescens, Lead Plant. 4 ft. Spikes of blue 6 in. long. Anemone canadensis, Meadow Anemone. 1-2 ft. White. Prefers damp location.
- * "cylindrica, Candle Anemone. 2-3 ft. White flowers followed by seed tufts of snowy white wool.
- * "quinquefolia, Native Windflower. 6 in. Small pinktinged, white flowers in early spring. For the woods or shady rock garden.
- *Anemonella thalictroides, Anemonella. 9 in. Small, white flowers in early spring. Will grow in any good garden soil.
- *Aquilegia caerulea, Rocky Mountain Columbine. Sky blue. Long spurs.

.75 2.00 15.00

3 10 100

- *Aquilegia canadensis, American Columbine. 1-2 ft. Native red and yellow. A fine rock garden plant.
- Aralia racemosa, American Spikenard. 3-5 ft. White flowers. Large clusters of brown-purple berries.

\$1.00 \$3.00 \$20.00

Aruncus sylvester, Goat's Beards. 3-5 ft. Long, feathery plumes of white flowers.

.75 2.00 15.00

- *Asarum canadensis, Canada Wild Ginger. Kidney-shaped leaves. 3-5 in. wide. Fine for shady corner.
 - " shuttleworthi, Mottled Wild Ginger. Mottled heartshaped leaves.

.90 2.50 17.50

- Asclepias incarnata, Swamp Milkweed. 3 ft. Rose-purple to pink flowers. Very attractive seed pods.
 - "tuberosa, Butterfly Weed. 1 ft. Large head of orange colored flowers. Open sun.
- *Aster ericoides, Heath Aster. 1 ft. Pinkish-white.
 - " linariifolius, Savory Leaved Aster. 2 ft. Flowers violet.
 - " longifolius, Longleaf Aster. Violet or pale purple.
 - " nemoralis, Bog Aster. 2 ft. Slender. Violet flowers.

 For bog gardens.
 - " novae-angliae, New England Aster. 3-5 ft. Purple.
 - " novae-angliae roseus, Rosy New England Aster. 3-5 ft.
 Rose colored flowers.
 - " novibelgi, New York Aster. 2-3 ft. Violet and purple.
 - " puniceous, Swamp Aster. Flowers white to violet-purple.
 - " umbellatus, Flat Top Aster. 8 ft. White flowers in large flat heads.
- * " undulatis, Wave Aster. 3-4 ft. Pale blue or violet.

3 10 100

Baptisia australis, Blue Wild Indigo. 3-4 ft. Dark blue flowers shaped like Sweet Peas.

\$0.75 \$2.00 \$15.00

- " bracteata, Cream Wild-Indigo. Cream-colored flowers cover the entire plant.
- " leucantha, White Wild-Indigo. Drooping branches with pea-shaped flowers.
- "tinctoria, Yellow Wild-Indigo. 2 ft. Flowers yellow.
 Forms large clumps.
- Caltha palustris, Marsh Marigold. For swampy places. Bright yellow flowers.
- *Campanula rotundifolia, Hare Bells. Stems are very slender.

 Tiny bell-shaped flowers of sky-blue.
- Caulophyllum thalictroides, Blue Cohosh. 1 ft. Flowers greenish yellow, followed by blue berries.
- Chimaphila umbellata, Common Pipsissewa. 10 in. An evergreen with bright shiny leaves. Used in making Christmas wreaths.
- Chelone glabra, White Turtlehead. 3 ft. White flowers in late autumn.
 - lyoni, Pink Turtlehead. Rose-pink flowers.
- Cimicifuga americana, American Bugbane. White flowers in branched racemes.
 - " racemosa, Cohosh Bugbane. 2 ft. White flowers in elongated racemes.
- *Claytonia virginica, Virginia Spring Beauty. 3-6 in. Beautiful pink flowers. Should be planted in beds in the shade.

3 10 100

- Clintonia borealis, Bluebead. 10 in. Two or three prostrate leaves from which arise the flower stems bearing several creamy-yellow blossoms, which are followed by bright blue berries.
- Cornus canadensis, Bunchberry. 6 in. Bunches of bright red berries in mid-summer.
- Delphinium tricorne, Dwarf Larkspur. Large blue flowers on short spikes.
- *Dicentra canadensis, Squirrel Corn. 8 in. Greenish-white-flowers tinged with rose.
- * " cucullaria, Dutchman's Breeches. 8 in. White flowers in early spring.
- * " eximia, Fringed Bleedingheart. 1 ft. Pink-purple flowers. All summer.

\$0.75 \$2.00 \$15.00

- Desmodium canadensis, Canada Tick-Trefoil. 8 ft. Purple flowers.
- *Dodecatheon meadia, Shootingstar. 1-2 ft. Rose-purple flowers in May and June.
- Echinacea purpurea, Purple Cornflower. 2-3 ft. Rose-purple flowers in June and July.
- Epilobium angustifolium, Blooming Sally. 5 ft. Large pink flowers in mid-summer.
- Eupatorium coelestinum, Mistflower. Beautiful blue flowers in autumn.
 - " perfoliatum, Boneset. 2-3 ft. White flowers in flatheads. Good for planting beside ponds and in marshes.

3 10 100

- Eupatorium purpurea, Joe-Pye-Weed. 4-6 ft. Blossoms are reddish-purple. A fine perennial for planting in front of shrubbery.
 - " urticaefolium, Snow Thoroughwort. 3-4 ft. Pure white flowers. Should be planted in moist shade.
- Euphorbia corollata, Flowering Spurge. 2 ft. Sprays of tiny ivory flowers in July and August.
- " cyparissias, Cyprus Spurge. Yellow flowers in June.
- Filipendula rubra, Pink Garden Spirea. 5 ft. Blossoms are feathery plumes of deep rose.
- Galax aphylla, Galax. Small evergreen plant extensively used for Christmas wreaths.

\$0.75 \$2.00 \$15.00

- Gentiana andrewsii, Closed Gentian. 18 in. Bright blue blossoms that never open. Few native plants are more attractive. Autumn.
 - 'i linearis, Narrow-Leaved Gentian. 18 in. Blossoms earlier than the andrewsii and are more of a porcelain blue. Autumn.
- Geranium maculatum, Wild Geranium. 18 in. Flowers rosepurple, 1 inch in diameter.
- Gerardia virginica, False Foxglove. 2 ft. Bright, yellow tubular flowers in August.
- Helianthus mollis, Hairy Sunflower. 4 ft. Large, single, lemon-yellow flowers. July and August.
- Hemerocallis flava, Lemon Daylily. Lemon-scented, clear yellow flowers in June and July.

.75 2.00 15.00

"fulva, Tawny Daylily. 4 ft. Deep orange-colored flowers in early summer.

3 10 100

- *Hepatica acutiloba, Sharplobe Hepatica. An early blooming plant with white, pink and blue flowers. Prefers shade.
- * "triloba, Roundlobe Hepatica. Similar to the preceding with rounder leaves.
- *Houstonia caerulea, Bluets. 3-5 in. Violet-blue or white with yellow eye.

\$0.75 \$2.00 \$15.00

- Inula helenium, Elecampane. 5 ft. A tall growing perennial with broad yellow blossoms.
- *Iris cristata, Crested Iris. 4-5 in. A southern species with light blue flowers.

.75 2.00 15.00

" kaempferi, Japanese Iris. Mixed colors.

.90 2.50

- " prismatica, Cubeseed Iris. 1 ft. Narrow grass-like leaves, with blue flowers.
- " pseudacorus, Yellow Flag. 3-4 ft. Bright yellow. May-June.

1.00 2.50 20.00

- " sibirica, Siberian Iris. Lilac-blue. Slender foliage.
- * "verna, Vernal Iris. 4 in. Blue flowers with yellow centers. .75 2.00 15.00
 - " versicolor, Blueflag. 2 ft. A native of swamps and streamsides. Light purple flowers.
- Lathyrus maritimus, Beach Pea. A small vine with blue peashaped flowers. For sandy soil.
- Lespedeza capitata, Roundhead Bushclover. 5 ft. Flowers yellowish-white with purple spots, in dense heads.

3 10 100

- Liatris scairosa, Blazing Star. 2 ft. Purple flowers in full sun. *Linaria vulgaris, Toad-Flax. 1 ft. Yellow and orange blossoms throughout the summer.
- Linnaea americana, American Twinflower. A low creeping perennial, with pink and white flowers borne in pairs.
- Lobelia cardinalis, Cardinal Flower. 5 ft. Tall spikes of brilliant cardinal red in late summer. For planting in shallow streams and pools.
 - "syphilitica, Large Blue Lobelia. 3-4 ft. Large blue flowers on long spikes.
- Lychnis floscuculi, Ragged-Robin. 2-3 ft. Bright pink flowers in mid-summer.
- Lythrum salicaria roseum, Rose Loosestrife. 4 ft. Spikes of rose-colored flowers. For planting along streams or wet places.

\$0.75 \$2.00 \$15.00

- Maianthemum canadensis, False Lily-of-the-Valley. 6 in. Bright pink berries in early autumn.
- Medeola virginica, Cucumber-Root. 1-2 ft. Leaves in two whorls. Flowers greenish-yellow followed by dark-purple berries.
- Mentha spicata, Spearmint. 2-3 ft. For planting along streams and wet places.
- Monarda fistulosa, Wild Bergamot. 3 ft. Flowers lilac to purple.
- Mimulus ringens, Allegheny Monkeyflower. 4 ft. Flowers blue varying to pink and white, very narrow throats. Plant in moist place.

3 10 100

Nepeta cateria, Catnip. 2 ft. An old fashioned herb.

- * "hederacea, Ground Ivy. Forms a mat of green in either sun or shade. Leaves round or kidney-shaped. Light blue.
- Osmorrhiza brevistylis, Sweet Cicely. 3 ft. Hairy leaves 8-10 inches long.
- *Oxalis violacea, Woodsorrel. 6 in. Three leaves broadly notched. Flowers violet or rose. Useful in rockeries.
- Pedicularis canadensis, Early Woodbetony. Leaves broadly marked with yellow and green. Yellowish-red.
- Peltandra virginica, Deerhorn Cactus. Leaves one foot long by six inches wide. A bog plant.

\$0.90 \$2.50 \$17.50

- *Phlox divaricata, Blue Phlox. 18 in. Flowers lilac-blue in large clusters. May.
 - "glaberrima, Wild Pink Phlox. 2 ft. Pink flowers in late May.
- * " pilosa, Prairie Phlox. 1 ft. Dense masses of rose and blue flowers in May. Foliage similar to the subulata variety.
- * " subulata, Moss Pink. A native variety growing in broad mats on dry, rocky hills or sandy banks. Pink flowers.

.75 2.00 15.00

* " subulata, alba. A variety of the preceding with white flowers.

.75 2.00 15.00

3 10 100

*Phlox subulata, lilacina. Similar to the last two. Light blue flowers.

\$0.75 \$2.00 \$15.00

- Physostegia virginiana, False Dragon Head. 4 ft. Upright pink to white spikes.
- Phytolacca americana, Common Pokeberry. 5 ft. Flowers white to purple. Large blue-black berries.
- *Polemonium repens, Creeping Polemonium. 10 in. A ground cover bearing clouds of rich, blue flowers in April.
- Polygala paucifolia, Fringed Polygala. 5 in. A small evergreen with fringed pink flowers in early May. Prefers shade.
- Polygonatum commutatum, Great Solomon-Seal. Arching sprays of foliage hung with white bells. May-July.
- *Podophyllum peltatum, May Apple. White flowers followed by yellow fruit.
- Pontideria cordata, Pickerel Weed. For pools and ponds. Showy spikes of bright blue.

.75 2.00 15.00

- *Potentilla tridentata, Wineleaf Cinquefoil. Leaves three toothed at apex, flowers form thick beds of white. Very useful for rock gardens.
- Pyrola americana, Roundleaf Pyrola. A little, low growing evergreen plant, with round leaves and spikes of white, flowers.
 - elliptica, Shinleaf. Low evergreen plant 3-4 inches high with small white flowers.
- Rudbeckia hirta, Black-eyed Susan. 2 ft. Golden yellow with black centers. Biennials, but will reseed themselves.

3 10 100

Rudbeckia laciniata, Wild Golden Glow. 5 ft. Bright yellow flowers. Perennial.

Sanguisorba canadensis, American Burnet. 4-5 ft. Spikes of feathery white. Damp meadows and stony streams.

Saponaria officinalis, Bouncing-Bet. 2 ft. An old-fashioned garden plant.

Sarracenia flava, Trumpet Pitcher Plant. 2 ft. Flowers and leaves yellow. Wide leaves two feet long. For bog gardens.

\$0.75 \$2.00 \$15.00

" purpurea, Common Pitcher Plant. 1 ft. Pitcher red veined; flowers reddish-purple. For bog gardens.

Saxifraga virginiensis, Mountain Saxifrage. 4-9 in. Cluster of white flowers in early spring.

.75 2.00 15.00

*Sedum acre, Gold Moss. Low tufted perennial spreading over the ground. Yellow flowers. Good for covering rocks.

.75 2.00 15.00

*Sedum album, White Stonecrop. Waxy round foliage, with tiny white flowers.

.75 2.00 15.00

* " sexangulare. Leaves dark green and compact. Tiny yellow flowers.

.75 2.00 15.00

"telephium, Live Forever. 18 in. Reddish-purple blossoms.

3 10 100

Shortia galacifolia, Oconee-Bells. 3-9 in. Rare evergreen plant from the Carolina Mountains. Pure white flowers an inch across in early spring.

\$1.00 \$3.00 \$25.00

- Silene stellata, Starry Campion. 2 ft. Fringed white flowers in July.
- * '' virginica, Fire Pink. 1 ft. Star-shaped flowers of fiery red in June and July.
- *Smilacina racemosa, False Solomon-Seal. 2 ft. Creamy-white flowers on bending stalks. Scarlet berries.
- Solidago sempervirems, Seaside Goldenrod. 3 ft. One of the largest of the Goldenrods. Late summer.
- Stylophorum diphyllum, Celandine Poppy. 18 in. Flowers deep yellow. Moist shade.
- Tanacetum vulgare, Common Tansey. 3 ft. Flat heads of yellow flowers in June.
- Thalictrum polygamum, Tall Meadow Rue. 3-5 ft. Large, white flowers. Showy foliage.
- *Tierella cordifolia, Allegheny Foamflower. 1 ft. Soft, creamy flowers in late May.
- Tradescantia virginiana, Spiderwort. 1-2 ft. Bright, blue flowers throughout the summer.
- Trientalis americana, American Starflower. 1 ft. Small, starshaped flowers.

.50 1.00 8.00

Typha latifolia, Common Cattail. 6 ft. A bog plant with long narrow leaves. Long spikes of dark brown in autumn.

3 10 100

Uvalaria grandiflorum, Big Merrybells. 18 in. Leafy stalks with pendant creamy-yellow bell-shaped flowers.

\$0.75 \$2.00 \$15.00

" perfoliata, Merrybells. 1 ft. Bell-shaped yellow flowers.

.75 2.00 15.00

" sessilifolia, Little Merrybells. 1 ft. Similar but smaller than the preceding.

.50 · 1.00 8.00

- Verbena hasatata, Blue Vervain. 4-5 ft. Large cut leaves. Flowers blue on narrow spikes.
- *Veronica officinalis, Common Speedwell. A small evergreen plant with pale blue flowers. Good for covering shady bare places.

.00 2.00 17.00

Viola blanda, Sweet White Violet. 6 in. For moist locations.

" canadensis, Canada Violet. 1 ft. White flowers tinged with violet.

 $.75 \quad 2.00 \quad 15.00$

- * " cuculata, Common Blue Violet. 1 ft. Large, blue flowers. .50 1.00 8.00
- * " lanceolata, Lance-Leaved Violet. 6 in. White flowers and narrow lance-shaped leaves.

.50 1.00 8.00%

3 10 100


*Viola rotundifolia, Prostrate Yellow Violet. Large, round prostrate leaves.

.50 1.00 8.00


* " sagittata, Arrow-Leaved Violet. 10 in. Large, arrow-shaped leaves, with large blue flowers.

.50 1.00 8.00

- * " pedata, Birdsfoot Violet. 6 in. Light blue.
- * " pedata bicolor, Two Colored Birdsfoot Violet. 6 in.
 Upper petals purple; lower ones blue.
- * " pubescens, Downy Yellow Violet. Large, yellow flowers.
- * " rostrata, Long Spurred Violet. 10 in. A large, branching violet, with whitish-blue flowers.



HARDY PLANTS
BULBS
SHRUBS
FERNS
TREES



BUY PLANTS GROWN IN A HARDY CLIMATE